

WEWPCC Monthly Averages

		month											
year	Data	1	2	3	4	5	6	7	8	9	10	11	12
1998	Average of pH Influent	7.32	7.47	7.29	7.42	7.33	7.21	7.15	7.09	7.20	7.29	7.11	7.12
	Average of Effluent NH3 (mg/L)			21.80	6.88	1.75		5.00	1.17	1.18	7.15	16.58	17.88
1999	Average of pH Influent	7.16	16.22	7.16	7.24	7.25	7.36	7.60	7.67	7.69	7.63	7.70	7.76
	Average of Effluent NH3 (mg/L)	27.85	28.25	25.42	11.68	4.99	10.79	8.79	2.78	7.50	6.11	12.49	20.01
2000	Average of pH Influent	7.77	7.61	7.60	7.61	7.58	7.78	7.80	7.62	7.74	7.64	7.69	7.68
	Average of Effluent NH3 (mg/L)	30.04	26.33	15.58	15.89	8.65	11.15	8.50	1.44	6.17	12.42	11.97	20.64
2001	Average of pH Influent	7.68	7.64	7.55	7.70	7.88	7.89	7.65	7.79	7.79	7.73	7.73	7.60
	Average of Effluent NH3 (mg/L)	28.38	28.85	24.00	18.75							13.50	22.05
2002	Average of pH Influent	7.60	7.61	7.72	7.83	7.79	7.84	7.77	7.75	7.80	7.90	7.95	
	Average of Effluent NH3 (mg/L)	29.46	29.27	30.00	21.23	10.25	7.70	7.50	1.91	4.00	17.25	17.50	