

DATE: Dec 30, 2015

TO: Tania Steele

FROM: Eshetu Beshada, Ph.D., P.Eng.
Environmental Engineer
Municipal and Industrial Section

SUBJECT: **Hemp Sense Inc. – Information for Public Registries**

Tania,

Please find attached the TAC correspondence related to Hemp Sense Inc – Hemp Fibre Manufacturing Facility file (5801.00) for distribution to the public registries. The documents included are:

- December 16, 2015 a memo from Muntaseer Ibn Azkar, 1 page
- December 15, 2015 email from Winifred Frias, 1 page
- December 14, 2015 an email from James Stibbard, 1 page
- December 4, 2015 letter from Ryan Coulter, 1 page
- December 2, 2015 an email from Dr Amy Frykoda, 1 page
- December 2, 2015 email from Parks and Protected Space Branch , 1 page
- December 2, 2015 email from Cheryl Kubish, 1 page
- December 2, 2014 email from Brian Kiss, 1 page
- November 25, 2015 email from Dave Yunker, 1 page
- November 18, 2015 email from Rob Matthews, 1 page

10 pages total

Thank you.

Eshetu Beshada, Ph.D., P. Eng.

DATE: 16 December, 2015

TO: Eshetu Beshada
Environmental Approvals
Conservation and Water Stewardship
160-123 Main Street, Winnipeg

FROM: Muntaseer Ibn Azkar
Climate Change and Air Quality
Conservation and Water Stewardship
160-123 Main Street, Winnipeg

SUBJECT: Hemp Sense Inc. – Hemp Fibre Processing Facility (File. 5801.00)

Air Quality Section has reviewed the above proposal and provides the following comments:

- It is expected that the proposal has no significant impact on air quality provided that potential dust and particulate emissions from hemp handling and processing will be managed as mentioned in the proposal.
- Air Quality Section suggests that the EA Clause regarding noise nuisance be included.

Beshada, Eshetu (CWS)

From: +WPG1212 - Conservation_Circulars (CWS)

Sent: December-15-15 2:44 PM

To: Beshada, Eshetu (CWS)

Subject: Request for review/comment -EAP Hemp Sense - File: 5801.00

Hello Eshetu,

Good afternoon.

Lands Branch – MCWS has no comments as regards the EAP for Hemp Sense (File: 5801.00) as the parcel ownership is under private tenure.

Thank you for the opportunity to review.

Winifred Frias

Crown Land Programs Administrator

Lands Branch

Manitoba Conservation and Water Stewardship

200 Saulteaux Crescent, Box 25

Winnipeg, Manitoba R3J 3W3 CANADA

Phone: (204) 945-4524

Facsimile: (204) 948-2197

Beshada, Eshetu (CWS)

From: Stibbard, James (CWS)
Sent: December-14-15 9:23 AM
To: Beshada, Eshetu (CWS)
Subject: Re; 5801.00 Hemp Sense EAP

Follow Up Flag: Follow up
Flag Status: Flagged

Dr. Beshada,

This EAP notes water from the rural water distribution system will be used for staff purposes i.e. washrooms etc. but not in the process line. It also notes a fire sprinkler system will use water from a dugout. As such, all applicable provisions of *The Manitoba Plumbing Code* should be followed to ensure there is no cross connection between the public potable water system and the non-potable sprinkler water system.

Apart from this point, Office of Drinking Water has no further concerns with this EAP.

If you have any questions, please call.

Regards,

James Stibbard P. Eng.

Approvals Engineer

Office of Drinking Water

1007 Century Street

Winnipeg MB R3H 0W4

phone: (204) 945-5949

fax: (204) 945-1365

email: James.Stibbard@gov.mb.ca

website: www.manitoba.ca/drinkingwater

Confidentiality Notice: This message, including any attachments, is confidential and may also be privileged and all rights to privilege are expressly claimed and not waived. Any use, dissemination, distribution, copying or disclosure of this message, or any attachments, in whole or in part, by anyone other than the intended recipient, is strictly prohibited.



Infrastructure and Transportation

Highway Planning and Design Branch
Environmental Services Section
1420 – 215 Garry St., Winnipeg, MB R3C 3P3
T (204) 619-4359 F (204) 945-0593

December 4, 2015

Tracey Braun, M. Sc.
Director, Environmental Approvals Branch
Manitoba Conservation and Water Stewardship
123 Main St., Suite 160
Winnipeg, MB R3C 1A5

RE: Hemp Sense
Client File No. 5801.00

Dear Ms. Braun:

MIT has reviewed the proposal under the *Environment Act* noted above and we do not have any concern with the proposed development.

Thank you very much for providing us the opportunity to review the proposal.

Sincerely,

Ryan Coulter, M. Sc., P. Eng.
Manager of Environmental Services

Beshada, Eshetu (CWS)

From: Frykoda, Amy (HHLS)

Sent: December-02-15 6:03 AM

To: Beshada, Eshetu (CWS)

Subject: Fw: Request for review/comment - EAP Hemp Sense - File: 5801.00

No further comments

Thank you kindly

Dr. Amy Frykoda, MD, CCFP, MSc

Medical Officer of Health

Prairie Mountain Health

Sent from my BlackBerry 10 smartphone.

Beshada, Eshetu (CWS)

From: +WPG1212 - Parks Circulars (CWS)

Sent: December-02-15 8:29 AM

To: Beshada, Eshetu (CWS)

Subject: RE: Request for review/comment - EAP Hemp Sense - File: 5801.00

Parks and Protected Space Branch has reviewed the proposal submitted pursuant to *The Environment Act* for Request for review/comment - EAP Hemp Sense - File: 5801.00. The Branch has no comments or concerns to offer as it does not affect any provincial parks, park reserves, ecological reserves, areas of special interest or proposed protected areas.

Beshada, Eshetu (CWS)

From: Kubish, Cheryl (OFC)

Sent: December-02-15 11:06 AM

To: Beshada, Eshetu (CWS)

Subject: RE: Request for review/comment - EAP Hemp Sense - File: 5801.00

The hemp fibre processing facility poses a high fire hazard. The Office of the Fire Commissioner recommends that the applicant obtain a building permit prior to construction of the new building.

Cheryl Kubish
Administrative Assistant
Office of the Fire Commissioner
508-401 York Avenue
Winnipeg MB R3C 0P8
Phone: 945-3328
Fax: 948-2089

E-Mail address: Cheryl.Kubish@gov.mb.ca

Beshada, Eshetu (CWS)

From: Kiss, Brian (CWS)

Sent: December-02-15 9:02 AM

To: Beshada, Eshetu (CWS)

Subject: RE: Request for review/comment - EAP Hemp Sense - File: 5801.00

No wildlife related concerns.

-Brian Kiss

Beshada, Eshetu (CWS)

From: Yunker, Dave (CWS)

Sent: November-25-15 3:55 PM

To: Beshada, Eshetu (CWS)

Subject: Request for review/comment - EAP Hemp Sense - File: 5801.00

- Manitoba Conservation, Compliance and Enforcement branch has reviewed the additional information provided for the above noted proposal and has no concerns at this time.

Dave Yunker, C.E.T.

Environment Officer - Environmental Compliance and Enforcement

Manitoba Conservation and Water Stewardship

27-2nd Ave SW , Dauphin, MB R7N3E5

Office: 204-622-2134 , Cell : 204-648-4652 , Fax:204-638-8626 , email: dave.yunker@gov.mb.ca

Beshada, Eshetu (CWS)

From: Matthews, Rob (CWS)

Sent: November-18-15 9:47 PM

To: Beshada, Eshetu (CWS)

Subject: RE: Request for review/comment - EAP Hemp Sense - File: 5801.00

Based on the comment “no use of water” on page 1 of the report, we have no concerns.

Rob Matthews, Manager, WULS.